

# **Chewelah School District #36 – *Where Dreams Begin***

**Board of Director's Regular Work Session Meeting**

**February 3, 2022 at 6:30 PM**

**District Office 210 N Park and Virtually via Zoom**

1. Call meeting to order
2. Flag salute
3. Modifications to the agenda
4. Approval of the agenda
5. Approval to purchase single cab, four-wheel drive, heavy duty (use with snowplow), gas motor pickup truck in the price range of \$42,000.00 - \$46,000.00
6. Approval to purchase Kioti tractor and accessories from Hartill's Mountain Saw and Tractor in the amount of \$47,410.71
7. Approval of Arrow Concrete & Asphalt Specialties, Inc. resurfacing the Jenkins Jr./Sr. High School tennis courts in the amount of \$42,426.80
8. Approve resignation of LaVonne Smith as high school softball head coach
9. Approval to post for high school softball head coach
10. Chewelah School District data profile initial review – Erin Dell
11. Chewelah School District curriculum review of written, taught, and tested – Superintendent Perrins
12. Superintendent Report
13. Adjourn

## Face coverings required for all in-person attendees

In accordance with Governor's Proclamation 20.25.15, which prohibits the Board of Directors from allowing individuals without face coverings to enter or remain in any indoor space, all in-person attendees must wear a face covering at all times during the meeting. Individuals who choose not to comply with the requirement may access the meeting virtually via Zoom at <https://us02web.zoom.us/j/83756602966>

Individuals with disabilities who may need a modification to participate in a meeting should contact the superintendent's office, at 685-6800, ext. 1002, no later than three days before a regular meeting and as soon as possible in advance of a special meeting so that special arrangements can be made.

# Hartill's Mtn Saw & Tractor

101 W. Robert Avenue  
 PO Box 409  
 Chewelah, WA 99109  
 Phone: (509) 935-8829 Fax: (509) 651-6838

## Open Order

**42684**

Thank you for your business! We hope to see you back soon. Items must be returned in the original package. Receipt required for full credit. Restocking fee of 20% on special orders. No return on electrical parts.

Bill To				Ship To			
Chewelah School District P.O. Box 47 Chewelah, WA 99109							
Customer	Contact	Customer Tax Number	Phone	Cell Phone	Transaction	PO Number	
1860	9358671		(509) 935-8671		Cash Sale		
Counter Person	Sales Person	Date Printed	Reference	Email Address		Department	
PH	PH	11/05/21	42684			Counter Sales	

Part Number	Line	Description	Ordered	B/O'd	Shipped	List	Net Each	Amount
NSA108	KIOA	NS Series 3rd Functin	1	1		\$1,000.00	\$1,000.00	\$1,000.00
PF5048	BRAP	48 Heavy Duty Pallet Forks	1	1		\$950.00	\$950.00	\$950.00
DKA147	KIOA	Backhoe Thumb for KB2485	1		1	\$363.00	\$363.00	\$363.00
P20	MSCP	TracTop Canopy 52" x 66" Orange	1		1	\$599.00	\$599.00	\$599.00
Model	Line	Description	Ordered	B/O'd	Shipped	List	Net	Amount
NS4710HB	KIOW	Kioti 45Hp Hydrostat Tractor	1		1	\$30,036.00	\$24,500.00	\$24,500.00
KL5810-72	KIOW	NS Series Front Loader	1		1	\$6,061.00	\$5,900.00	\$5,900.00
KB2485	KIOW	Kioti 193485 Backhoe	1		1	\$9,409.00	\$8,000.00	\$8,000.00
KG4072	KIOW	72in Kioti Grapple Rake	1		1	\$2,750.00	\$2,750.00	\$2,750.00

**Note**  
 high capacity bucket figured instead of standard bucket and tires filled with rimguard.  
 If led lighting for snow plow wanted front and rear led lighting \$350.00

Invoice Total	\$44,062.00
Sales Tax	\$3,348.71
<b>Grand Total</b>	<b>\$47,410.71</b>

Thank you for your business! We hope to see you back soon. Items must be returned in the original package. Receipt required for full credit. Restocking fee of 20% on special orders. No return on electrical parts.

Notes:



Customer acknowledges receipt thereof.

# NS4710 HST

## Main Features

---

- **Engine Gross Power:** 44.9 hp ( 33.5 kW)
- **PTO Type:** Independent
- **Transmission Type:** Hydrostatic
- **Shuttle:** None
- Open Station (ROPS)
- KIOTI ECO Engine Technology
- Powerful HST Transmission
- Single Lever Joystick
- Hydraulic Independent PTO

### 3-Point Hitch with Telescopic Lower Links

---

Standard telescopic lower link ends and stabilizers allow the operator to easily connect & adjust a wide variety of 3-point implements. The standard rear 3-point control lever easily raises and lowers the lift arms from outside the tractor when attaching implements.

### Ergonomic Joystick Lever

---

An ergonomically designed joystick lever for front loader operation is standard on NS Series tractors.

### Twin HST Pedals

---

Twin HST pedals offer easy forward and reverse movement with smooth engagement, acceleration and deceleration. Pedal pressure is minimized which reduces operator fatigue during long hours of use.

### Deluxe Suspension Seat

---

Ergonomically designed, adjustable suspension seat allows the operator to ride in comfort no matter what the task may be.

### Hydraulic Independent PTO

---

The standard rear PTO is easily engaged by the simple turn of a knob. A safety interlock prevents the engine from starting when the PTO switch is left on. All models come standard with a selectable manual or automatic PTO option. When the Auto PTO is engaged, the PTO will automatically shut off when the 3-point control is raised, eliminating exposure to the running implements.

### HST Cruise Control

---

HST Cruise system enables the tractor to maintain a steady speed as set by the operator.

### Eco-Friendly Diesel Engine

---

The Common Rail Diesel Engine (CRDI) improves fuel efficiency while reducing noise levels. With this eco-friendly Tier 4 engine, the NS Series offers the operator a quiet work environment with powerful performance.

### Power Steering

---

Hydrostatic power steering minimizes the effort required to make tight, repetitive turns.

### Foldable ROPS

---

A fold-down roll bar allows operators to move into tight areas quickly and easily.

### Simple Maintenance

---

KIOTI tractors are designed for easy maintenance. Liftable hoods and removable side panels allow convenient access for daily service checks. Maintaining your tractor for long life and high performance has never been easier.

## Engine

---

Engine Model	3HT-S4TH45A
Engine Gross Power	44.9 hp ( 33.5 kW)
Rated Speed	2,600 rpm
No. of Cylinders	3
Fuel Type	Diesel
Aspiration	Turbo Charged

Displacement

111.4 cu. in. (1,826 cc)

Fuel Tank Capacity

13.2 gal. (50 L)

## Transmission

Transmission Type	Hydrostatic
Main Gear	Hydrostatic
No. of Travel Speeds - Forward / Reverse	3 Range
Min. Travel Speed of Forward w/ Ag @ Engine rated speed	0 mph (0 km/h)
Max. Travel Speed of Forward w/ Ag @ Engine rated speed	17.5 mph (28.1 km/h)

## Power Take-Off (PTO)

PTO Type Trans	Independent
PTO Power	36.3 hp (27.1 kW)
Rear PTO Speed	540 rpm
Mid PTO Speed	2,000 rpm (Optional)

## Brakes and Clutch

Brakes	Wet Disc Type
Clutch	None

## Dimensions w/ AG Tire

Length w/ 3-point hitch	136.4 in. (3,465 mm)
Width	67.1 in. (1,705 mm)
Height from Top of ROPS	98.4 in. (2,500 mm) w/o Beacon
Wheelbase	75.5 in. (1,918 mm)
Ground Clearance	13.4 in. (340 mm)
Front Tread Ag Tires - Min	51.1 in. (1,297 mm)
Rear Tread Ag Tires - Min	54.3 in. (1,380 mm)
Turning Radius w/ Brake	10.94 ft. (3.34 m)

## Hydraulics

Pump Capacity (Max. Flow Rate)	16.5 gpm (62.4 L/min)
--------------------------------	-----------------------

## 3-Point Hitch

Standard Category	Category I
Lift Capacity, 24" aft of hitch	2,940 lbs. (1,334 kg)
Control Type	Position with Draft Control

## Weight

Weight with Ag Tires	4,027 lbs. (1,827 kg.)
----------------------	------------------------

## Equipment & Panel

Standard Equipment	Optional Equipment	Instrument Panel
<ul style="list-style-type: none"> <li>Power Steering</li> <li>Rear PTO</li> <li>Single Remote Hydraulic Valve</li> <li>Wet Multi Disc Brakes</li> <li>Joystick Valve</li> <li>Drawbar</li> <li>Headlights</li> <li>Parking Brake</li> <li>PTO cover</li> </ul>	<ul style="list-style-type: none"> <li>Sun Canopy</li> <li>Beacon Light</li> <li>Rear Working light</li> <li>Front Weights</li> <li>Mid PTO</li> <li>HST Linked Pedal</li> <li>Clevis Type Drawbar</li> <li>Rear View Mirror (1ea)</li> <li>Second Remote Hydraulic Valve (Non-Detent)</li> <li>Second Remote Hydraulic Valve (Detent)</li> <li>Fuel Heater Kit</li> </ul>	<ul style="list-style-type: none"> <li>Digital Hour Meter</li> <li>Coolant Temperature Gauge</li> <li>Electrical Tachometer</li> <li>Fuel Gauge</li> <li>Engine Oil Pressure Light</li> <li>High Beam, Emergency Flasher, Direction Indicators</li> <li>Glow Plug Light</li> <li>Alternator Light</li> </ul>

## Available Tires

---



### Agricultural

Front 8-16  
Rear 13.6-24



### Turf

Front 29-12.5-15  
Rear 21.5-16.1



### Industrial

Front 10-16.5  
Rear 14.9-24



### R14

Front 10-16.5  
Rear 17.5-24

## Attachments

---

### Front End Loaders : KL5810



**Fits all NS Series Models.** (NS4710, NS4710 HST, NS5310 HST, NS6010, NS6010 HST) The KIOTI KL5810 front end loader is specifically designed for the NS Series. The KIOTI loader, with a built-in parking stand, is designed to be quickly and easily attached and detached. KL Series loaders utilize the tractor's hydraulic system, feature single-lever control with float and come with a bucket level indicator. \*Specifications may vary with tractor model, front axle configurations, tire size option and type of attachment and are subject to change without notification.

**Backhoes : KB2485**

Fits Kioti DK10 Series (DK4510/5010/5510), NS Series (NS4710/NS4710 HST/NS5310 HST/NS6010/NS6010 HST), NX4510, NX5010, NX5510, NX6010, RX6620 tractors. Specifications may vary depending on tractor model and are subject to change without notification. Tractors must be equipped with ROPS and seat belt that will provide greater safety.

**Implements****Products : Implements**

Mowing, cutting, tilling, haying, hauling. Whatever the job is, Kioti has user-friendly, high performance implements to help you get it done.

# Arrow Concrete & Asphalt Specialties, Inc.

P.O. Box 11133  
 Spokane, Washington 99211-1133  
 (509) 922-7847 • Fax (509) 922-9879

## SPORTS SURFACING DIVISION

WA Registration #ARROWCA054NP  
 ID Public Works #PWC-C-11931-B-4

1-24, 2022

<i>Customer Name:</i>	Jenkins School District	<i>Job name:</i>	Tennis court resurfacing (5)
<i>Bill-To Address:</i>	210 N. Park St. PO Box 47 Chewelah, WA 99109	<i>Job-site Location</i>	Jenkins Jr./Sr. High School Chewelah, WA
<i>Phone #:</i>	509-685-6800	<i>Cell/Alt Ph #:</i>	
<i>Contact:</i>	Jason Tapia (509) 936-2550	<i>Fax #:</i>	509-935-8605
<i>Email:</i>	jtapia@chewelahk12.us		

Following is our proposal for sports court requested at the above referenced location.

<b>DESCRIPTION OF WORK TO BE PERFORMED</b>				
<b>Resurfacing Existing Tennis Courts (5)</b>				
1. Resurface existing tennis courts with "Plexipave" – The world's largest manufacturer of sports surfacing.				
2. MOBILIZATION / PER DIEM				
<b>SPECIFICATIONS &amp; ESTIMATES OF PROPOSAL</b>				
<i>Line Item #</i>	<i>Unit</i>	<i>Parts/Description/Work to Be Performed</i>	<i>Unit Cost</i>	<i>Amount</i>
1	31,920 SF	Supply all labor and materials to resurface (5) existing asphalt tennis courts. Includes: Pressure wash, using the "BIG GUY" roto-blaster to pop out the iron oxide pits/holes. Wash all dirt, debris and loose material. Minimize court #5 depression with Cal Pro Patching Mix. Apply (2) coats of Acrylic Resurfacer to entire slab. Apply (2) coats of Fortified Acrylic 2-Color System – (California Red exterior/U.S Open Blue Interior-as existing colors). Layout, mask and paint lines for tennis as per USTA/ITF Specifications. - White	\$1.29 SF	\$41,176.80
2	Lump Sum	Mob/Per Diem	\$1,250	\$1,250.00
			<b>TOTAL:</b>	<b>\$42,426.80</b>

**Terms: A 50% DEPOSIT (\$.00) IS DUE UPON ORDERING. RETURN SIGNED COPY OF THE PROPOSAL ALONG WITH THE ABOVE DEPOSIT (WE ACCEPT CHECKS, VISA & MASTERCARD). BALANCE IS PAYABLE UPON COMPLETION OF THE ORDER. YOUR ORDER WILL NOT BE PROCESSED UNTIL SIGNED PROPOSAL & DEPOSIT IS RECEIVED.**

**NOTE: COLOR CHOICES MUST BE PROVIDED WHEN YOU PLACE YOUR ORDER. There will be an up charge for Purple & Blue Options.**

**Includes**

Surface Prep  
Plexipave 2-Color System  
(1) Extra Base coat of Resurfacer  
Prevailing wages  
Layout & Striping (white)  
Mobilization

**Excludes**

State Sales Tax  
Fees or Permits

- **Plexipave surfacing (color) and game lines per owner's choice (must be specified at time of signing acceptance of proposal). Any additional lines not specified at time of proposal with the estimator will be an additional charge.**
- The surface should be allowed to cure for **minimum of 72 hours** after completion before play is to be resumed. Court shoes only are allowed; black and dark soles will mark the court. Arrow is not responsible for these marks. PlexiPave is warranted for one year against spalling and peeling. Color choices can be seen by going to: <https://www.californiasportssurfaces.com/court-colorizer/Standard>
- Plexipave application consists of one coat of base or acrylic resurfacer, two coats of site mixed, Plexipave surfacing (color) and game lines (if desired).
- Arrow is not responsible for any sub-surface hydrostatic conditions which may cause bubbles and blisters. 10 mil Visqueen is recommended for new concrete construction.
- Crack filling is imperfect. The only guarantee is that the cracks will return after filled. It may be necessary in some cases to MAINTAIN Crackfilling annually. Cracks appear again after resurfacing, sometimes overnight. Spring and Fall as well as winter can expose cracks.
- Customer is responsible for supplying potable water source for washing and rinsing tools at the jobsite.
- New concrete must cure for MINIMUM OF 28 days before PlexiPave can be applied; new asphalt must cure MINIMUM OF 14 days before PlexiPave can be applied.
- Permits, variance and court location are the responsibility of the owner.
- Arrow is not responsible for leveling, patching or any such correction of court surface "birdbaths" or low spots prior to the application of any and all surfacing materials (i.e., Plexipave, Plexicushion, Acrylotex etc.). Leveling of court surfaces are an extra charge and will be billed at time and materials only upon written acceptance by the court owner or the company representative who has placed the order with Arrow to perform such services. The owner should accept that repair of birdbaths is only a means of reducing the inconvenience they cause and that available repair methods and materials are imperfect.
- **ARROW SPORTS SURFACING DOES NOT PERFORM ANY ELECTRICAL WORK OF ANY KIND INCLUDING, BUT NOT LIMITED TO, TRENCHING, PLACING OF CONDUIT, INSTALLATION OF LIGHT FIXTURES OR WIRING.**
- Pricing subject to review after 30 days from bid date.
- State sales tax is not included in prices. Any applicable sales tax will be charged at time of invoice. A WA State Reseller's Permit is required on file if non-taxable.
- mobilization will be included for each portion of work quoted above, unless noted otherwise. Additional mobilizations will be charged at \$250.00 each in the event that the customer schedules work and the jobsite is unready for scheduled services to be performed by our crew members.

Please contact us with any questions. If you wish to accept our proposal, please sign where indicated below and return a copy to our office. By signing this proposal, I state that I have read, understand and agree to the amount stated and the conditions and exclusions set herein. We look forward to hearing from you soon.

Respectfully submitted,



Jim Bittner  
Arrow Concrete & Asphalt Specialties, Inc.

Approved \_\_\_\_\_

Date \_\_\_\_\_

Correct Bill-To Address Above? :

Y \_\_\_\_\_

N \_\_\_\_\_ (Provide corrections)

TAXABLE?

Y \_\_\_\_\_

N \_\_\_\_\_ (Tax certificate required, if non-taxable)